



## INTERNAL CORRESPONDENCE

CHEMICALS AND PLASTICS

SILICONES PLANT

P.O. BOX 180, SISTERSVILLE, WEST VIRGINIA 26175

To (Name) R. T. Kramer\*

Date January 17, 1979

Division

Originating Dept.

Location

Answering letter date


Copy to  
D. S. Carroll  
D. G. Moshier  
A. G. Olds  
J. E. Pierce\*  
C. A. Rolston  
C. F. Schubert

Subject Polychlorinated Biphenyls (PCB's)

I reference M. E. Hall's subject memo of December 5, 1978, concerning three regulatory compliance milestones. Although we have discussed Sistersville's and Marietta's compliance, I provide the following documentation:

1. MARKING Complete - We are presently analyzing some hydraulic fluids which may have been contaminated by the vendor due to common usage of filling equipment for PCB's and hydraulic fluids. If the fluids exceed the 500 ppm level, necessary marking control will be undertaken. We are not using the 50 ppm level per C&P Guidelines.
2. RECORDS AND MONITORING Complete - Attachment I is an example of the record sheet presently being used. Correct me if I am wrong but my understanding is that there is no requirement to submit the noted annual PCB report to EPA.
3. STORAGE Complete - Presently PCB articles are stored at Institute in their facility. It is desirable that this be a long term storage solution as it would be an unnecessary expense to construct such a facility with such a limited use.

I hope the above gives you a "warm feeling"(humor). Please call if you have questions.

  
Thomas L. Jones

TLJ:slc  
\*attachment

MPM000656

EPA004607